

## MOTILAL NEHRU COLLEGE: BENITO JUAREZ MARG: NEW DELHI

MNC/BJM/2014/ ~~2014~~ 1269


Date: 30.10.2014  
7/11

Sealed quotations are invited for the fabrication and erection of mild steel structures for supporting umbrella shaped sheds over new sitting arrangement at selected location in the lawn of Canteen of the College. The detail of the structure would be as follows:-

1. The structure would be provided with 2.5 inch round M.S. pipe 04 number (14 gangs) with 1.5 Ft. cement concrete (1:2:4) foundation with required hold-fast and the shed to be fixed over 8 ft. height from ground.
2. The octagon shed would be 10 Ft. diameter and crown would be 1.5 Ft. above its base level of shed.
3. 8 Nos. of M.S pipes of 1 ½" x 1 ½" square section (16 gauge) would be tied to opposite round poles in required arch shape.
4. The bracing of the main arched pipes would be made by 1.5 x 1.5 inch square pipe at 2.5 ft. center to center.
5. The initial (lower) octagon ring to be made with 1 ½" x 1 ½" square pipe. (16 g).
6. The shed to be covered with multi-color fiber sheet 3.00 mm and to be fixed with nuts and bolt etc. complete.
7. 1'-0" fiber sheet flap to be fixed with required M.S pipe 1.5X1.5 inch octagon the shed just below the base level. The total sheds are 06 Nos.
8. All joints should be sealed by the water proof sealant.

You may also enclose a copy of PAN number of your firm along with the quotation. Please write top of the envelop "**Quotation for Shed**". Your quotation should reach to the under signed latest by 15.11.2014 up to 2.00 P.M. Please give your rats for each shed.

For further details, inspection of site etc. you can visit the College office on all working days between 10.00 a.m. to 3.00 p.m.

  
8.11.14  
Offtg. Principal

# MOTILAL NEHRU COLLEGE: BENITO JUAREZ MARG: NEW DELHI

MNC/BJM/2014/1270


07.11.2014  
Date: 07.10.2014

Sealed quotations are invited for the following items in the College. The details of the same are as under:-

S.No.	Description of Work	Rate Rs. (per unit).
1	Development of flooring on an area of 9' X 9' Ft. octagon shape with requisite slope and way attached with existing pathway in the canteen ground of the college by laying and fixing of Kota stone slab average 20 mm on cement mortar bed 1:4 with matching pigment, laid over cement concrete (1:4:8) base of thickness not less than 3 inch after preparation of sub-base by dressing, filling and ramming properly including rubbing & polishing the Kota-stone surface complete in all respects etc.	

You may also enclose a copy of PAN number of your firm along with the quotation. Please write top of the envelop "**Quotation for Flooring**". Your quotation should reach to the under signed latest by 15.11.2014 up to 2.00 P.M. Please give your rats for each Unit.

For further details, inspection of site etc. you can visit the College office on all working days between 10.00 a.m. to 3.00 p.m.

  
Offtg. Principal