



# मोतीलाल नेहरू कॉलेज Motilal Nehru College



(दिल्ली विश्वविद्यालय)  
(University of Delhi)

संदर्भ : एमएनसी/बीजेएम

Ref. : MNC/BJM/

Dated : 04.03.2023

## SHORT TENDER NOTICE

### PERIPHERAL ROAD CARPETING IN MOTILAL NEHRU COLLEGE

Sealed tender are invited for carpeting the peripheral road in Motilal Nehru College. Scope of work for the same is attached herewith.

Interested firms/companies may fill the prescribe format and should reach the college latest by 11<sup>th</sup> March, 2023 by 2.00 p.m.

On the top of the envelope, it should be written:

**“Short tender for Peripheral Road Carpeting”**

The envelope should be addressed to :

The Principal  
Motilal Nehru College  
Benito Juarez Marg  
New Delhi-110021.

### Bidders should enclosed the following documents with the tender:

1. Firm/company registration certificate
2. Experience certificates/work completion/work orders etc. of last three years only.
3. Prescribe format duly completed in all respect.
4. Bank details
5. GSTIN as applicable.
6. 2% earnest money be deposited with the tender through Demand Draft in favour of Principal, Motilal Nehru College.

### Terms & Conditions:

1. 10% of the tender amount will be released after first rainy season from the completion of the said work.
2. Warranty period will be 5 years, for any wear and tear contractor will provide services without any charges.
3. Completion of work shall be completed by 18<sup>th</sup> March, 2023.
4. Corrigendum/addendum, if any, will be posted on college website well in time.

*Raghuwan Sharma*  
04/03/2023  
Acting Principal  
Motilal Nehru College



बेनीतो हुआरेज़ मार्ग नई दिल्ली-110021 Benito Juarez Marg, New Delhi-110021

Tel. : (011) 24112604 • Website : <http://www.mlncdu.ac.in>, E-mail : [motilalnehru64@gmail.com](mailto:motilalnehru64@gmail.com)

**MOTILAL NEHRU COLLEGE: BENITO JUAREZ MARG: NEW DELHI-21**  
**SHORT TENDER FOR PERIPHERAL ROAD CARPETING IN THE COLLEGE**

N/W Road Carpeting/Bituminous carpeting inside road Motilal Nehru College, SDC.

SLNo	Description	Qty	Unit	DSR No.	Rate	Amount
1	ROAD WORK			16		
1.1	Providing and applying tack coat using hot straight run bitumen of grade VG - 10, including heating the bitumen, spraying the bitumen with mechanically operated spray unit fitted on bitumen boiler, cleaning and preparing the existing road surface as per specifications :			16.3		
1.2	On bituminous surface @ 0.50 Kg / sqm	3200	sqm	16.30.2		
1.3	2.5 cm premix carpet surfacing with 2.25 cum and 1.12 cum of stone chippings of 13.2 mm and 11.2 mm size respectively per 100 sqm and 52 kg and 56 kg of hot bitumen per cum of stone chippings of 13.2 mm and 11.2 mm size respectively, including a tack coat with hot straight run bitumen, including consolidation with road roller of 6 to 9 tonne capacity etc. complete (tack coat to be paid for separately).			16.33		
1.4	With paving Asphalt grade VG - 10 heated and then mixed with solvent at the rate of 70 grams per kg of asphalt	3200	sqm	16.33.1		
1.5	Providing and laying seal coat over prepared surface of road with bitumen heated in bitumen boiler fitted with the spray set spraying using 98 kg of bitumen of grade VG - 10 and blinding surface with 0.90 cum of stone aggregate of 6.7 mm size (Passing 11.2 mm sieve and retained on 2.36 mm sieve) per 100 sqm of road surface, including rolling and finishing with power road roller all complete.	3200	sqm	16.41		
1.6	Providing and laying Dense Graded Bituminous Macadam using crushed stone aggregates of specified grading, premixed with bituminous binder and filler, transporting the hot mix to work site by tippers, laying with paver finisher equipped with electronic sensor to the required grade, level and alignment and rolling with smooth wheeled, vibratory and tandem rollers as per specifications to achieve the desired compaction and density, complete as per specifications and directions of Engineer-in-Charge.			16.54		
1.7	50 to 100 mm average compacted thickness with bitumen of grade VG-30 @ 5% (percentage by weight of total mix) and lime filler @ 2% (percentage by weight of Aggregate) prepared in Drum Type Hot Mix Plant of 60-90 TPH capacity.	15	cum	16.54.2		
				<b>TOTAL</b>		

*Yogendra Sharma*  
04/03/2023

**Acting Principal  
Motilal Nehru College**

